



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

LISTE DES PLANTES

MENTIONNÉES DANS

LES TROIS PREMIÈRES COMPTES RENDUS D'HERBORISATION.

A.

- Acer campestre* L., *Bulletin*, t. II, page 184.
— *platanoides* L., III, 527, 529.
Achillea millefolium L., I, 122.
Aconitum Napellus L., III, 551.
Actea spicata L., III, 517, 524.
Adonis autumnalis L., III, 528.
Adoxa Moschatellina L., II, 191.
Agaricus arenarius Lev, I, 127.
— *rotula* Scop., I, 127.
Agrimonia Eupatorium L., II, 190.
— *odorata* Mill., II, 202.
Agropyrum caninum P. B., III, 517.
Aira flexuosa L., III, 518.
— *multiculmis* Dmtr., III, 516.
Ajuga genevensis L., III, 516, 521, 526.
Alchemilla vulgaris L., II, 191.
— — L., var. *glabra*, III, 521.
Alisma ranunculoides L., I, 125.
Allium oleraceum L., II, 201; III, 524.
Allium sphaerocephalum L., II, 205.
Alopecurus fulvus Sm., I, 115; II, 192.
Alopecurus utriculatus Pers., II, 205.
Althaea hirsuta L., II, 205.
Alyssum calycinum L., II, 202, 205, 204; III, 517, 526.
Ammi majus L., I, 114.
Ammophila arundinacea Host., I, 112.
Anacampis pyramidalis Rich., I, 122.
Anagallis caerulea Schrad., II, 196, 200; III, 525.
— *tenella* L., I, 125, 126.
— — var. *fl. alb.*, I, 124.
Anchusa officinalis L., var. *dunensis* Dmtr., I, 126.
Anemone Pulsatilla L., III, 526.
Antennaria dioica Gaertn., II, 205.
Anthemis arvensis L., III, 515, 521, 526.
Anthriscus vulgaris Pers., I, 116.
Anthyllis maritima Schw., I, 115.

- Anthyllis Vulneraria* L., II, 198, 200; III, 517, 525.
Antirrhinum majus L., I, 125.
Apium graveolens L., I, 115.
Aquilegia vulgaris L., II, 202, 204; III, 517, 525, 529.
Arabis arenosa Scop. III, 517.
 — *brassicaeformis* Wallr., II, 201, 205.
 — *sagittata* D. C., I, 115, 125; II, 187.
 — *Turrita* L., II, 186, 187.
Arenaria marginata D. C., I, 115.
 — *salina* Fr., I, 115.
 — *tenuifolia* L., *Alsine tenuifolia* Wahl. II, 202; III, 517.
Aristolochia Clematitis L., II, 185.
Armeria maritima Mill., I, 118.
Arnica montana L., III, 528, 532.
Artemisia maritima L., I, 118.
 — *Pontica* III, 525.
Arundo Phragmites L., I, 126.
Asclepias Vincetoxicum L., II, 185, 187, 200.
Ascobolus carneus Pers., I, 127.
 — *furfuraceus* Pers., I, 127.
 — *glaber* Pers., I, 127.
Ascobolus granuliformis Cr., I, 127.
 — *immersus* Pers., I, 127.
 — *papiliatus* Pers., I, 127.
Asparagus officinalis, var. *maritimus* L., I, 115, 127.
 — *prostratus* Dmtr., I, 115.
Asperula cynanchica L., I, 125; III, 517.
 — *odorata* L. II, 190, 192; III, 528.
Aspidium aculeatum Doel., III, 517.
Asplenium, *Adiantum-nigrum* L., II, 187, 188.
Asplenium Ruta-muraria L., III, 526.
 — *trichomanes* L., II, 184.
Aster Tripolium L., I, 118.
Astragalus glycyphyllos L., II, 201; III, 518.
Atriplex littoralis L., I, 121.
 — *salina* Wallr., I, 121.
Atropa Belladonna L., II, 184, 192, 195, 200; III, 525, 528.
Avena fatua L., I, 117.
 — *flavescens* L., II, 190.
 — *pratensis*, III, 527.
 — *pubescens* L., I, 116.

B.

- Barkhausia taraxacifolia* D. C., I, 117; III, 524.
 — *foetida* D. C., II, 205.
Batrachium v. *Ranunculus*.
Betonica officinalis L., II, 192, 195; III, 515.
Biscutella laevigata L., II, 205.
Blitum rubrum Rehb., I, 121.
Botrychium Lunaria, III, 527.
Brachypodium pinnatum P. B., II, 191, 200; III, 522.
Bromus arvensis L., II, 205; III, 532.
 — *asper* L., III, 522.
 — *commutatus* Schrad., III, 517.
 — *erectus* Hds., II, 205; III, 517, 518.
 — *giganteus* L., III, 525.
 — *inermis* L., III, 528.
 — *racemosus* L., II, 191, 202.

- Broinus sylvaticus* Poll., II, 185. *Buplevrum falcatum* L., II, 205.
 — *tectorum* L., I, 112, 124; III, 518. — *rotundifolium*, III, 525.
 — — *tenuissimum* L., I, 111.
Bryonia dioica L., I, 116. *Buxus sempervirens* L., II, 187, 204.

C.

- Cakile maritima* L., I, 113. *Carex muricata* L., II, 185; III, 518, 526.
Calamitha, v. *Thymus*.
Caltha palustris L., III, 515.
Camelina dentata Pers., III, 515, 521.
Campanula persicifolia L., II, 185; III, 517.
Cardamine impatiens L., II, 184.
Carduus nutans L., I, 122, 190.
 — — var. *alb. fl.* III, 521, 527.
 — *acanthoides* L., I, 127; II, 189.
Carduus tenuiflorus Sm., I, 114.
Carex acuta Curt. III, 515.
 — *arenaria* L., I, 112.
 — *canescens* L. III, 532.
 — *digitata* L., III, 525, 529.
 — *dioica* L., III, 520, 528.
 — *distans* L., I, 121, 124.
 — *disticha* Huds., I, 126.
 — *divisa* Huds., I, 121.
 — *divulsa* Good., III, 516.
 — *Drymeia* Ehrh., III, 522.
 — *elongata* L., II, 197.
 — *extensa* Good., I, 119.
 — *filiformis* L., III, 552.
 — *flava* L., III, 516, 522.
 — — var. : *β. patula*, Cos. et Ger., II, 197.
 — *glaucia* Scop., III, 522.
 — *Goodenowii* Gay., II, 195; III, 518.
 — *limosa* L., III, 552.
 — *Oederi* Retz., I, 118; II, 201; III, 552.
 — *ornithopoda* Willd., III, 525.
 — *paludosa* Good., I, 121.
 — *panicea* L., II, 185, 197; III, 516.
 — *paniculata* L., III, 520, 529.
 — *paradoxa* W., III, 520.
 — *polyrhiza* Wallr., II, 195.
 — *Pseudocyperus* L., I, 115; II, 197; III, 516.
 — *pulicaris* L., III, 515, 516, 528.
 — *riparia* Curt., I, 126.
 — *stellulata* Good., II, 185; III, 518.
 — *teretiuscula* Schk., III, 515, 516, 520.
 — *trinervis* Degl., I, 118, 122.
 — *vesicaria* L., II, 195; III, 517.
Carpinus Betulus L., II, 184.
Carum Carvi, III, 525.
 — *bulbocastanum* Koch., II, 198, 202, III, 522.
Catabrosa aquatica P. B., II, 192; 202; III, 518.
Caucalis daucoides L., II, 202, 205; III, 525.
Centaurea Calcytrapa L., I, 111, 189.
 — *Scabiosa* L., II, 198, 200, 202 III, 517, 524.

- Cerasus avium* Mnch., II, 184.
Cerastium brachypetalum Desf., II, 204; III, 527.
 — *tetrandrum* Curt., I, 115, 117.
Chara foetida, I, 114; II, 197.
 — — var. *subhispida* A. Br. I, 127.
 — *fragilis*, II, 196; III, 529.
Chrysosplenium oppositifolium L., II, 197.
 — *alternifolium* L., II, 197.
Cichorium Intybus L., II, 194.
Cineraria palustris L., I, 114.
Cirsium acaule L., I, 126; II, 191, III, 524.
 — *nemorale* Rchb., III, 517.
Cladium Mariscus, R. Br., I, 126.
Cladonia alpicornis Flk., I, 128.
 — *pyxidata*, var. *pocillum*, I, 128.
 — *furcata* Hoffm., I, 128.
Cladonia pungens, var. *muricata*, I, 128.
Cochlearia Danica L., I, 115.
 — *Armoracia* L., II, 188.
Colchicum autumnale L., II, 185, 192.
Collema multiflorum, I, 128.
Comarum palustre L., III, 515, 531.
Conium maculatum L., II, 190, 201.
Convallaria verticillata L., II, 179; III, 528.
 — *mayalis* L., II, 189.
Convolvulus soldanella L., I, 115.
Corydalis lutea Pers., II, 186, 187.
Corylus Avellana L., II, 184.
Cotoneaster vulgaris Lindl., II, 201.
Crataegus monogyna Jacq., III, 515.
Cuscuta densiflora Willem., III, 528.
 — *epithymum* Murr., I, 124.
 — *europaea* L., III, 521.
Cynoglossum officinale L., I, 116; II, 186, 202; III, 528.
Cystopteris fragilis Bern., II, 184, 191, III, 521.

D.

- Danthonia decumbens* D. C., II, 191, III, 532.
Daphne Mezereum L., II, 203; III, 518, 527.
Delphinium Consolida L., II, 202; III, 525.
Dianthus Armeria L., II, 192, 201.
 — *carthusianorum* L., II, 185.
 — *deltoides*, III, 529.
Dianthus prolifer L., II, 202.
Digitalis lutea L., II, 201, 205.
 — *purpurea* L., II, 184, 185, 192.
Dipsacus pilosus L., II, 184, 187.
 — *sylvestris* Mill., II, 185, 190.
Drosera intermedia Hayne, III, 532.
 — *rotundifolia* L., III, 532.

E.

- Echium vulgare* L., II, 185.
Elymus arenarius L., I, 112.
Elymus europaeus L., II, 200; III, 525.

(340)

- Endymion nutans Dmtr., II, 186, 187, 201. Eriophorum gracile Koch., III, 532.
 — latifolium Hpp., III, 515, 518, 528.
 Epilobium montanum L., II, 184, 192, 193. Erodium Boraeum Jord., I, 115.
 — obscurum Schreb., II, 197. — cicutarium Lher., I, 115.
 — palustre L., II, 197. — pimpinellifolium Sm., III, 521.
 — spicatum Lam., II, 185.
 — tetragonum L., II, 192, 197; III, 515, 525. Ervum tetraspermum L., II, 185.
 Epimedium alpinum L., II, 199. Eryngium maritimum L., I, 115.
 Epipactis atrorubens Hoffm., II, 203. Erythra littoralis Fr., I, 111, 126.
 — palustris Cr., I, 115, 118; III, 520, 528. — pulchella Fr., I, 111.
 Equisetum hiemale L., III, 529. Euphorbia amygdaloides L., II, 184, 187.
 — limosum L., III, 515. — Cyparissias L., II, 195, 201; III, 515, 517.
 — sylvaticum L., III, 517. — exigua L., II, 200.
 — Telmateia Ehrh., III, 522. — Paralias L., I, 117, 122.
 — variegatum Schlch., I, 127. — platyphyllos K., II, 205; III, 525, 532.
 Erigeron canadensis L., III, 529. Evonymus europaeus L., II, 184, 528.

F.

- Festuca arenaria Osb., I, 112. Fragaria elatior Ehrh., II, 186, 187, 201.
 — heterophylla, Host., III, 518.
 — loliacea Huds., II, 190. Fumaria micrantha Lag., I, 114, 121.
 — oraria Dmtr., I, 112, 126. — officinalis L., III, 528.
 — sylvatica Vill., III, 527. — Vaillantii Lois., III, 524, 528.
 — tenuifolia Sibth., III, 516.
 Fragaria collina Ehrh., II, 201; III, 517.

G.

- Galeopsis angustifolia Ehrh., II, 194. Galium saxatile L., II, 201.
 Galium glaucum L., III, 525. — spurium L., III, 521.
 — mollugo L., I, 115. — sylvaticum L., III, 518, 526, 529.
 — ochroleucum Wolf., I, 125.
 — palustre, var. elongatum, Cos. et Ger., III, 521.

- Galium tricornes* With., I, 117, 122; III, 525.
 — *uliginosum* L., III, 515, 526.
 — *verum* L., I, 115, 117.
Genista pilosa L., II, 191.
 — *sagittalis* L., II, 201; III, 517.
 — *tinctoria* L., II, 195, 198, 203; III, 217, 528.
Gentiana amarella L., I, 114, 126,
 — *cruciata* L., II, 198, 201; III, 526, 527.
 — *germanica* L., II, 205.
Geranium columbinum L., III, 525.
 — *lucidum* L., II, 200, 201.
 — *Macrorrhizum* L., II, 199.
 — *sanguineum* L., II, 204.
Geranium sylvaticum L., II, 199.
Geum rivale L., III, 529.
 — *urbanum* L., II, 190.
Glaux maritima L., I, 111.
Globularia vulgaris L., II, 202, 205,
Glyceria distans Whlbg., I, 119, 121,
 — *fluitans* R. Br., III, 515.
 — *maritima* M. et K., I, 119.
 — *plicata*, III, 518.
 — *rigida* Sm., II, 191, 192, 202.
Gnaphalium sylvaticum, III, 516.
Gymnadenia conopsea R. Br., I, 124; II, 196, 201, 202, 205; III, 517.
 — *viridis* Rich., II, 197.

H.

- Halimus portulacoides* Wallr., I, 121.
Heleocharis palustris R. Br., III, 516.
Helianthemum vulgare L., I, 118; II, 198, 200, 201; III, 525, 529.
Helosciadium inundatum Koch., II, 192, 200.
 — *nodiflorum* Koch., I, 124.
 — *repens* Koch., I, 115, 124.
Helleborus foetidus L., II, 184, 200, 202.
 — *viridis* L., II, 184; III, 525.
Helminthia echioides Gaertn., I, 115, 119.
Helychrysum arenarium, III, 517, 518, 526, 529.
 — *arenarium*, var. *aurantiacum*, III, 518.
Herminium monorchis R. Br., I, 115, 118.
Herniaria glabra L., II, 200; III, 516, 517, 526, 529.
Hesperis matronalis L., II, 205.
Hieracium murorum L., III, 526.
Hippocrepis comosa L., III, 518.
Hippophae rhamnoides L., I, 112.
Hippuris vulgaris L., I, 123, 125.
Honkeneya peploides Ehrh., I, 111.
Hordeum hexastichon L., I, 126.
 — *maritimum* With., I, 111, 126.
 — *secalinum* Schreb., I, 112; III, 532.
Hydrocharis Morsus-ranae L., I, 125.
Hyosciamus agrestis W. Kit., III, 225.
 — *niger* L., I, 121, 192, 201.
Hypericum hirsutum L., II, 184.

- Hypericum humifusum* L., II, 192. *Hypericum quadrangulum* L., II,
— *intermedium* Blk., II, 190, 197.
191, 197. *Humulus Lupulus* L., II, 184.
— *tetrapterum* Fr., II, 197.

I.

- Iberis amara* L., II, 202, 204; III, 525. *Iris Pseudacorus* L., II, 185; III, 515,
Impatiens nolitangere L., II, 197. 517.
Inula salicina L., III, 528.

J.

- Jasione montana* L., I, 115. *Juncus maritimus* Lam., I, 119.
Juncus bufonius L., II, 192. — *obtusiflorus* Ehrh., I, 115; II,
— *bulbosus* L., II, 192. 191; III, 520, 528.
— *Gerardi* Lois., I, 118, 119. *Juniperus communis* L., II, 191.
— *glaucus* Ehrh., II, 185; III, 522.

K.

- Koeleria cristata* Pers., II, 191. *Koeleria cristata*. var. *arenaria* Dmtr.,
I, 126.

L.

- Lactuca saligna* L., I, 114. *Lemna polyrhiza* L., II, 196.
— *muralis*, Mey., II, 184, 191. — *trisulca* L., I, 125.
Lamium mutabile Dmtr., III, 522. *Lepidium ruderales* L., I, 111.
Lappa tomentosa All., III, 527. — *campestre* III, 522.
Larabrea aquatica Saint-Hil., II, 192. *Lepturus incurvatus* Trin., I, 121.
Lathyrus Aphaca L., II, 191. *Libanotis montana* All., II, 204.
— *sylvestris* L., II, 205; III, 525. *Ligustrum vulgare* L., II, 184; III,
525.
— *tuberosus* L., I, 126. *Limosella aquatica* L., II, 196; II,
187.
Lecidea sabuletorum Flk., I, 128. *Linum Catharticum* L., II, 184, 192,
— *vesicularis*, I, 128. — *tenuifolium* L., II, 202, 205;
Lemna arrhiza L., I, 114. 204, III, 524.
— *gibba* L., I, 125; II, 196.

- Linum usitatissimum* L., I, 125.
Liparis Loeselii Rich., I, 127.
Lithospermum officinale L., II, 184;
 200; III, 525.
Littorella lacustris L., II, 194, 196,
 200.
Lolium linicola Sond., I, 126; III,
 517, 521.
Lonicera Xylosteum L., III, 521, 522.
Lotus tenuifolius Rehb., I, 119.
Lunaria rediviva L., II, 184.
Luzula albida D. C., II, 192, 195, 201;
 III, 516, 517.
 — *maxima* D. C., II, 201.

M.

- Maianthemum bifolium* D. C., III, 516.
Malus acerba Mer., II, 197, 201.
Malva Alcaea L., III, 528.
 — *moschata* L., II, 185, 187, 189,
 192; III, 517.
Marrubium vulgare L., I, 122; II,
 202, 203; III, 526.
Matricaria inodora L., var. *maritima*
 I, 114.
 — *Parthenium* L., II, 189.
Medicago falcata L., III, 521.
 — *lupulina* L., I, 124.
 — *maculata* L., I, 111, 117.
 — *minima* L., I, 111.
Melampyrum arvense L., II, 191, 196;
 III, 522.
 — *arvense* L., var. *alba*,
 II, 205.
Melandrium pratense Rahl. var. *fl.*
ros. I, 127.
Melica ciliata L., II, 205.
 — *nutans* L., II, 200; III, 518.
 — *uniflora* L., II, 184, 189.
Melilotus arvensis Wallr., II, 200; III,
 532.
Menyanthes trifoliata L., III, 515.
Mercurialis perennis L., II, 184, 187.
Montia fontana L., III, 532.
Monotropa hypopitis, III, 516, 525,
 526.
Myosotis coespitosa Schlz., III, 515.
 — *collina* Ehrh., II, 191.
 — *intermedia* Link., II, 191.
 — — var. *dumeto-*
rum Crp., III, 517.
 — *lingulata* R et S., I, 126.
 — *repens* Don., III, 515.
 — *strigulosa* Rehb., I, 124.
 — *sylvatica* Hoffm., II, 187.
Myrica gale L. III, 528.
Myriophyllum spicatum L., III, 532.

N.

- Nardus stricta* L., III, 516.
Nasturtium officinale R. B., II, 189.
 — *officinale* var. *microphy-*
llum III, 518.
Neottia nidus-avis Rich., II, 201; III,
 525.
Neottia ovata Rich., II, 184.
Nepeta Cataria L., II, 205.

- Neslia paniculata* Desv., III, 325. *Nostoc commune* L., I, 128.
Nitella fragilis, III, 329. — *lichenoides* Kütz, I, 128.
— *tenuissima*, II, 205. *Nuphar luteum* Sm., II, 185; III, 316.
— *flexilis*, II, 196, 198. *Nymphaea alba* L., II, 203; III, 315.

O.

- Oenanthe fistulosa* L., I, 114. *Orchis mascula* L., II, 205.
— *peucedanifolia* Poll., I, 110; *Orlaya grandiflora* Hoffm., II, 189, 191,
III, 315, 317, 332. 196, 202; III, 322, 325.
— *Lachenalii* Gmel., I, 119. *Ornithogalum sulfureum* Bert., III,
325, 325.
Onobrychis sativa Lmk., II, 194, 200. *Ornithopus perpusillus* L., III, 323.
Ononis maritima Dmtr., I, 115. *Orobanche epithymum* D. C., III,
— *procurrens* Wallr., II, 200. 324, 326.
Onopordon Acanthium L., I, 114. *Orbanche Galii* Rehb., I, 117, 123.
Ophioglossum vulgatum L., I, 127. — *rapum* Thuil., II, 188; III,
204. 318.
— *arachnites* Reichard, II, 202, *Orobanche Teucrii* Schultz., II, 204.
203. *Orobis tuberosus* L., II, 184.
— *myodes* Jacq. *O. muscifera*
Sm., II, 201, 205.

P.

- Papaver dubium* L., I, 121; III, 326. *Phelipaea arenaria* Cos. et Ger., I,
— *Lecoqii* Lamott., I, 121. 122; II, 71.
Parietaria officinalis L., II, 186. — *coerulea* Cos. et Ger., I, 122;
— *diffusa* M. et K., I, 125. II, 72, 201; III, 321, 327.
Paris quadrifolia L., II, 192, 195, 201; *Phleum arenarium* L., I, 113.
III, 325. *Phyteuma spicatum* L., II, 189, 201.
Parnassia palustris L., I, 125; III, 326. *Pilobolus cristallinus* Tod., I, 128.
Pastinaca sativa L., I, 121. *Pilularia globulifera* L., II, 194, 200.
Pedicularis palustris L., III, 315, 318. *Pisum arvense* L., I, 114.
Peplis Portula L., II, 192, 195. *Plantago coronopus* L., I, 111.
Petroselinum segetum Koch., I, 119. — *maritima* L., I, 111, 121.
Phalangium liliago Schreb., II, 204. — *media* L., II, 184.
Phalaris arundinacea L., II, 185; III, *Platanthera bifolia*, III, 325.
317. — *chloranta* Cust., II, 185,
Phallus impudicus, II, 196. 192, 197.

- Poa aquatica* L., II, 185.
 — *Sudetica* Hnk., II, 188, 193, 196; III, 318.
Podospora fimicola Cesati, I, 128.
Polygala comosa Schk., II, 204.
Polygala oxyptera Rehb., I, 123; II, 72.
 — *vulgaris* L., I, 123; II, 72.
Polygonum amphibium L., II, 185, 200.
 — *bistorta* L., III, 315.
Polystichum angulare var. *subtripinatum* L., II, 197.
 — *cristatum*, III, 331.
Polypodium dryopteris, III, 518, 527.
 — *phaeopteris* L., II, 202; III, 518, 527.
Polystichum thelipteris, III, 331.
Populus canescens var. *glabrescens* Dmtr., I, 127.
Populus nigra L., var. *dunensis* Dmtr., I, 127.
Poronia punctata Fr., I, 128.
Potamogeton crispus, III, 317.
 — *densus* var. β , *serratus* Cos. et Ger., I, 125.
 — *gramineus* L., II, 200.
 — *lucens* L., III, 328.
Potamogeton marianus L., I, 121.
 — *natans* L., III, 316.
 — *pectinatus* E., var. *sco- parius* Wallr. II, 71.
 — *perfoliatum* L., III, 316.
 — *pusillus*, III, 328.
 — *rufescens*, III, 329.
Potentilla argentea L., II, 187; III, 318, 326, 329.
 — *procumbens* Sibth., II, 197.
 — *verna* L., II, 201; III, 316, 324, 329.
Poterium Sanguisorba L., II, 184.
 — *muricatum*, III, 324.
Primula officinalis, II, 72.
 — *elatior* Req., I, 124; II, 71.
Prunella alba Pall., II, 201, 202, 204.
 — *vulgaris* Moench. var. *fl. alb.* I, 127.
Prunus Mahaleb L., II, 190, 203.
Pulmonaria angustifolia, III, 329.
 — *officinalis*, III, 323.
Pyrola minor L., II, 197; III, 316, 323, 327.
 — *rotundifolia* L., II, 195, 197, 200; III, 316, 323.

Q.

Quercus pedunculatus Ehrh., II, 184.

R.

- Ranunculus aquatilis* L., I, 3.
 — — var. *coespitosus* Cos. et Ger. I, 112.
 — *aquatilis* var. *capillaceus* Cos. et Ger., I, 112.
Ranunculus auricomus L., II, 200; III, 322.
 — *bulbosus* L., II, 184.
 — *Drouetii* Schultz., II, 185.
 — *divaricatus* Schk., III, 316.

- Ranunculus Flammula* L., II, 185, 195; III, 316.
 — *fluitans* Lmk., II, 187, 204; III, 316.
 — *hederaefolius* L., III, 328.
 — *Lingua* L., II, 202.
 — *nemorosus* D. C., II, 197; III, 318.
 — *trichophyllus* Chaix., II, 71; III, 322.
 — *tripartitus* D. C., I, 112; II, 71.
Raphanus raphanistrum L., I, 115.
Reseda lutea L., III, 325.
Rhamnus Catharticus L., II, 202.
Rhinanthus minor Ehr., III, 315.
 — *hirsutus* Lmk., II, 201; III, 326.
 — *alectorolophus* Pollich., II, 197.
Rhynchospora alba, III, 332.
Ribes Uva-crispa L., III, 326.
 — *grossularia* L., III, 322.
Rosa arvensis Hds. II, 183.
 — *mariaeurgensis* Redouté. II, 204.
 — *pimpinellifolia* D. C., I, 123, 204.
 — *rubiginosa* L., II, 205.
 — *tomentosa* Sm., II, 191.
Rubus Bellardi W. et N. R. glandulosus Bell., I, 126; III, 187.
 — *Idaeus* L., II, 185.
 — *saxatilis* III, 323, 329.
Rumex acutus L., I, 126.
 — *nemorosus*, III, 322.
 — *palustris* Sm., I, 114, 126.
 — *scutatus* L., II, 188; III, 326.

S.

- Sagittaria sagittaeifolia* L., II, 192; III, 316.
Salicornia procumbens Sm., I, 118.
 — *herbacea* L., I, 118.
Salix aurita L., II, 187.
 — *helix* L., I, 200.
 — *repens* L., I, 112; III, 321.
 — *argentea* Sm., I, 117.
Salsola kali L., I, 113.
Salvia pratensis L., III, 325.
Sambucus racemosa L., II, 186, 187; III, 325.
Samolus valerandi L., I, 119.
Saponaria officinalis L., III, 321.
 — *Vaccaria* L., III, 322.
Saxifraga hypnoides L., II, 187.
 — *granulata* L., II, 192.
Saxifraga rotundifolia L., II, 199.
Sagina apetala L., II, 191.
 — *depressa*, III, 329.
 — *maritima* Don., I, 118.
 — *nodosa* Fenzl., I, 111, 115, 124.
 — *procumbens* L., II, 192; III, 317.
Scabiosa columbaria L., II, 198; III, 325.
Scirpus lacustris L., I, 119; III, 316.
 — *maritimus* L., I, 119; II, 185.
 — *maritimus* L. var. β , compactus Koch. var. γ , monostachys Koch., I, 119.
Scirpus pauciflorus Light., I, 116; III, 320, 328.

- Scirpus setaceus* L., II, 188, 189.
 — *sylvaticus* L., III, 522.
 — *Tabernaemontani* Gm., I, 119, 127; III, 516.
Schoenus compressus L., *Scirpus compressus* Pers., I, 115; III, 516, 518, 527, 529.
 — *nigricans* L., I, 115, 125, 126.
Scleranthus perennis L., III, 516.
Scolopendrium officinarum Sm., II, 184, 202.
Scorzonera humilis L., II, 192, 196, 197.
Scrophularia aquatica L., II, 185.
 — *umbrosa* Dmtr., S. *Ehrharti* Stev. II, 185; III, 521, 522.
Scutellaria minor, III, 528.
Sedum acre L., I, 115; II, 185.
 — *album* L., II, 185, 192.
 — *aureum* Wtg., II, 197; III, 518, 521.
 — *boloniense* Lois., II, 184, 185, 187.
 — *elegans* Lej., II, 191.
 — *reflexum* L., II, 187.
 — *Telephium* L., II, 189.
 — L., var. *denticulatum* II, 187.
Senebiera coronopus Poir., I, 111, 117.
Senecio aquaticus Sm., II, 187; III, 552.
 — *erraticus* Bert. II, 187.
 — *erucaefolius* L., I, 117; II, 187, 197; III, 525.
 — *jacoboea* var. *dunensis* Dmtr., I, 115.
Senecio saracenicus L., III, 525.
 — *sylvaticus* L., III, 517.
Sesleria coerulea Ard., III, 518.
Sherardia arvensis L., II, 191.
Silaus pratensis Bss., II, 196, 200; III, 515, 552.
Silene conica L., 115, III, 551.
 — *inflata* Sm., I, 116; II, 191.
 — *nutans* L., I, 116, 126; III, 518, 529.
Sinapis nigra L., I, 115.
Sium angustifolium L., I, 114, 124; II, 189.
Silybum marianum Grtn., II, 202.
Solanum dulcamara L., II, 192.
Sorbus torminalis, III, 524.
 — *Aria*, III, 525.
Sparganium minimum, III, 552.
 — *ramosum* Huds., II, 195, 197; III, 515.
 — *simplex* Huds., II, 197.
Spartium scoparium L., II, 188.
Specularia hybrida D. C., II, 191, 200.
Sphœria fimeti D. C., I, 127.
Spirœa salicifolia, III, 528.
Stachys alpina, III, 525.
 — *ambigua* Sm., II, 202.
 — *annua*, III, 524.
 — *germanica* L., II, 200, 201.
 — *recta*, III, 524.
Statice limonium L., I, 118.
Stellaria graminea, III, 522.
 — *nemorum*, III, 529.
Stellera passerina L., III, 527.
Suœda maritima Dmtr., I, 118.
Sysimbrium Sophia L., I, 112.

T.

- | | |
|--|---|
| <i>Tamus communis</i> L., II, 198, 201. | <i>Trifolium hybridum</i> , III, 315. |
| <i>Teucrium Botrys</i> L., II, 200, 201; III, 323. | — <i>maritimum</i> L., I, 119. |
| — <i>chamædrys</i> L., II, 201, 202, 204. | — <i>medium</i> L., I, 124, 200. |
| <i>Thalictrum minus</i> L., I, 113. | — <i>micranthum</i> Viv., I, 123. |
| — <i>dunense</i> Dmtr., I, 115. | — <i>montanum</i> L., III, 332. |
| — <i>flavum</i> L., I, 124. | — <i>ochroleucum</i> L., II, 197, 202, 203; III, 315. |
| <i>Thesium humifusum</i> D. C., I, 124, 126. | — <i>scabrum</i> L., I, 111, 122. |
| — <i>pratense</i> , III, 332. | — <i>striatum</i> L., II, 185, 188, 191, 201, 202. |
| <i>Thlaspi perfoliatum</i> L., II, 204. | <i>Triglochin maritimum</i> L., I, 111, 119. |
| <i>Thymus A cynos</i> L., II, 192, 200, 201; III, 324. | — <i>palustre</i> L., I, 111; III, 321, 327. |
| <i>Tilia parvifolia</i> Ehrh., I, 117. | <i>Tripolium luteum</i> Lob., I, 118. |
| <i>Torilis nodosa</i> Goertn., I, 111. | <i>Triticum junceum</i> L., I, 112. |
| <i>Tortula subulata</i> Hedn., I, 128. | — <i>vulgare</i> var. <i>villosum</i> , I, 123. |
| <i>Tragopogon pratensis</i> L., II, 200. | <i>Turgenia latifolia</i> , III, 325. |
| — <i>porrifolius</i> L., I, 121, 183. | <i>Turritis glabra</i> , III, 317, 325, 326. |
| <i>Trifolium agrarium</i> , III, 326, 327. | <i>Tussilago farfara</i> L., II, 189. |
| — <i>arvense</i> L., II, 202. | — <i>petasites</i> L., II, 189. |
| — <i>agrestinum</i> Jord., III, 318. | <i>Typha angustifolia</i> L., I, 127. |

U.

- Ulmus montana*, III, 329. *Utricularia minor*, III, 327.

y.

- | | |
|--|--|
| <i>Valerianella dentata</i> D. C., II, 191;
III, 321. | <i>Verbascum blattaria</i> L., I, 126. |
| — <i>carinata</i> Lois., III, 321. | <i>Veronica anagallis</i> L., II, 185. |
| <i>Verbascum phlomoides</i> L., II, 200. | <i>Veronica acinifolia</i> L., II, 191. |
| — <i>thapsiforme</i> Schröd., II,
202. | — <i>montana</i> L., II, 195. |
| — <i>Lychnitis</i> L., II, 203, 204;
III, 326. | — <i>scutellata</i> L., II, 196. |
| | — <i>polita</i> Fr., I, 117; II,
202. |
| | — <i>officinalis</i> , III, 317. |

- | | |
|---|--------------------------------------|
| Veronica verna III, 326. | Viola sylvestris Lam., II, 191; III, |
| — agrestis L., I, 117. | 323. |
| Viburnum Lantana L., II, 201, 203, | — palustris, III, 332. |
| 204; III, 323. | — tricolor, III, 332. |
| Vinca minor L., II, 189, 198. | — tricolor var. maritima Lej., I, |
| Viola hirta L., II, 185, 191, 200; III, | 113. |
| 322. | |

Z.

- | | |
|-----------------------------------|-----------------------------|
| Zanichellia pedunculata Rehb., I, | Zostera nana Roth., I, 113. |
| 121, 127. | — marina L., I, 113. |
| — palustris L., I, 114. | |

*Notices biographiques sur quelques lichénographes
célèbres ; par M. Eugène Goemans.*

PREMIÈRE NOTICE.

H.-G. FLÖRKE.

Henri-Gustave Flörke naquit le 24 décembre 1764, à Altenkalden, petit village du grand-duché de Mecklembourg, où son père était alors ministre luthérien. Sa mère, également fille d'un pasteur protestant, se nommait Schmidt.

Flörke perdit sa mère très-jeune encore, sans avoir le bonheur de la connaître, et son père se remaria quelques mois après, dans l'intérêt de ses enfants en bas âge. Cette seconde union fut heureuse et n'apporta aucun changement dans les habitudes paisibles et retirées de la famille mecklembourgeoise.

La famille Flörke était très-nombreuse et peu riche, et